ELSEVIER

Journal of Affective Disorders 56 (1999) 245–247

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Akiskal, H., see Serretti, A. (56) 17
Ali, S.O., see Denicoff, K.D. (56) 67
Ansseau, M., see Lôo, H. (56) 109

Bagby, R.M., see Kennedy, S.H. (56) 197
Barwell, M., see Soares, J.C. (56) 1
Bellivier, F., see Henry, C. (56) 103
Berrios, G.
Anxiety disorders: a conceptual history (56) 83
Blazer, D.G., see Lynch, T.R. (56) 9
Blazer, D.G., see Lynch, T.R. (56) 49
Bonilla, E., see Piñerua-Shuhaibar, L. (56) 119
Bourgeois, M.L., see Henry, C. (56) 103
Brown, E.A., see Grossman, F. (56) 233
Bruder, G.E., see Postolache, T.T. (56) 27

Capasso, L., see Waslick, B.D. (56) 223
Casadei, G., see Serretti, A. (56) 17
Charles, G., see Corruble, E. (56) 95
Connell, E.G., see Denicoff, K.D. (56) 67
Corruble, E., Legrand, J.M., Duret, C., Charles, G. and Guelfi, J.D.
IDS-C and IDS-SR: Psychometric properties in depressed in-patients (56) 95
Costa e Silva, J.A., see Lôo, H. (56) 109

DelBello, M.P., Strakowski, S.M., Sax, K.W., McElroy, S.L., Keck Jr, P.E., West, S.A. and Kmetz, G.F.
Familial rates of affective and substance use disorders in patients with first-episode mania (56) 55
Demedts, P., see Maes, M. (56) 185
Denicoff, K.D., Ali, S.O., Mirsky, A.F., Smith-Jackson, E.E., Leverich, G.S., Duncan, C.C., Connell, E.G. and Post, R.M.
Relationship between prior course of illness and neuropsychological functioning in patients with bipolar disorder (56) 67
de Risio, S., see Lôo, H. (56) 109
De Vos, N., see Maes, M. (56) 185
Dickens, S.E., see Kennedy, S.H. (56) 197
Dilling, H., see Lôo, H. (56) 109
Doty, R.L., see Postolache, T.T. (56) 27
Duncan, C.C., see Denicoff, K.D. (56) 67
Duret, C., see Corruble, E. (56) 95

Eilenberg, M., see Waslick, B.D. (56) 223
Eisfeld, B.S., see Kennedy, S.H. (56) 197

Farvolden, P., see Van Ameringen, M. (56) 215
Feiger, A.D., see Rudolph, R.L. (56) 167
Ferrer, A., see Piñerua-Shuhaibar, L. (56) 119
Frank, E., see Soares, J.C. (56) 1

Garno, J.L., see Goldberg, J.F. (56) 75
Goldberg, J.F., Garno, J.L., Portera, L., Leon, A.C., Kocsis, J.H. and Whiteside, J.E.
Correlates of suicidal ideation in dysphoric mania (56) 75
Goto, M., see Sato, T. (56) 149
Graw, P., Recker, S., Sand, L., Kräuchi, K. and Wirz-Justice, A.
Winter and summer outdoor light exposure in women with and without seasonal affective disorder (56) 159
Greenhill, L.L., see Waslick, B.D. (56) 223
Grossman, F., Potter, W.Z., Brown, E.A. and Maislin, G.
A double-blind study comparing idazoxan and bupropion in bipolar depressed patients (56) 233
Guelfi, J.D., see Corruble, E. (56) 95

Han, L., see Postolache, T.T. (56) 27
Henry, C., Lacoste, J., Bellivier, F., Verdoux, H., Bourgeois, M.L. and Leboyer, M.
Temperament in bipolar illness: impact on prognosis (56) 103
Herrington, R., see Lôo, H. (56) 109
Hirano, S., see Sato, T. (56) 149

Jimma, L.A., see Postolache, T.T. (56) 27
Johnson, C.S., see Lynch, T.R. (56) 9
Johnson, C.S., see Lynch, T.R. (56) 49
Jori, M.C., see Serretti, A. (56) 17

Kato, J., see Sato, T. (56) 149
Keck Jr, P.E., see DelBello, M.P. (56) 55
Kennedy, S.H., Dickens, S.E., Eisfeld, B.S. and Bagby, R.M.
Sexual dysfunction before antidepressant therapy in major depression (56) 197
Kish, S.J., see Reiach, J.S. (56) 137
Kmetz, G.F., see DelBello, M.P. (56) 55
Kocsis, J.H., see Goldberg, J.F. (56) 75
Koethe, N.H., see Lemke, M.R. (56) 205

S0165-0327(99)00203-7

Kräuchi, K., see Graw, P. (56) 159
Krishnan, K.R.R., see Lynch, T.R. (56) 9
Krishnan, K.R.R., see Lynch, T.R. (56) 49
Kroger, H., see Postolache, T.T. (56) 27
Kuehner, C.
Gender differences in the short-term course of unipolar depression in a follow-up sample of depressed inpatients (56) 127
Kupfer, D.J., see Soares, J.C. (56) 1
Kusunoki, K., see Sato, T. (56) 149

Lacoste, J., see Henry, C. (56) 103
Leboyer, M., see Henry, C. (56) 103
Legrand, J.M., see Corruble, E. (56) 95
Lemke, M.R., Koethe, N.H. and Schleidt, M.
Timing of movements in depressed patients and healthy controls (56) 205
Leon, A.C., see Goldberg, J.F. (56) 75
Leverich, G.S., see Denicoff, K.D. (56) 67
Li, P.P., see Reiach, J.S. (56) 137
Lieber, D., see Waslick, B.D. (56) 223
Lôo, H., Saiz-Ruiz, J., Costa e Silva, J.A., Ansseau, M., Herrington, R., Vaz-Serra, A., Dilling, H. and De Risio, S.
Efficacy and safety of tianeptine in the treatment of depressive disorders in comparison with fluoxetine (56) 109
Lynch, T.R., Johnson, C.S., Mendelson, T., Robins, C.J., Krishnan, K.R.R. and Blazer, D.G.
Correlates of suicidal ideation among an elderly depressed sample (56) 9
Lynch, T.R., Johnson, C.S., Mendelson, T., Robins, C.J., Krishnan, K.R.R. and Blazer, D.G.
New onset and remission of suicidal ideation among a depressed adult sample (56) 49

Maes, M., De Vos, N., Demedts, P., Wauters, A. and Neels, H.
Lower serum zinc in major depression in relation to changes in serum acute phase proteins (56) 185
Maislin, G., see Grossman, F. (56) 233
Maixner, W., see Piñerua-Shuhaibar, L. (56) 119
Mallinger, A.G., see Soares, J.C. (56) 1
Mancini, C., see Van Ameringen, M. (56) 215
Matthews, J.R., see Postolache, T.T. (56) 27
McElroy, S.L., see DelBello, M.P. (56) 55
Mendelson, T., see Lynch, T.R. (56) 9
Mendelson, T., see Lynch, T.R. (56) 49
Mirsky, A.F., see Denicoff, K.D. (56) 67

Narita, T., see Sato, T. (56) 149
Neels, H., see Maes, M. (56) 185
Neumeister, A., see Postolache, T.T. (56) 27
No, C., see Postolache, T.T. (56) 27

Oakman, J.M., see Van Ameringen, M. (56) 215

Perkonnig, A., see Pini, S. (56) 37
Piñerua-Shuhaibar, L., Prieto-Rincon, D., Ferrer, A., Bonilla, E., Maixner, W. and Suarez-Roca, H.
Reduced tolerance and cardiovascular response to ischemic pain in minor depression (56) 119
Pini, S., Perkonnig, A., Tansella, M. and Wittchen, H.-U.
Prevalence and 12-month outcome of threshold and subthreshold mental disorders in primary care (56) 37
Portera, L., see Goldberg, J.F. (56) 75
Post, R.M., see Denicoff, K.D. (56) 67
Postolache, T.T., Doty, R.L., Wehr, T.A., Jimma, L.A., Han, L., Turner, E.H., Matthews, J.R., Neumeister, A., No, C., Kroger, H., Bruder, G.E. and Rosenthal, N.E.
Monorhinal odor identification and depression scores in patients with seasonal affective disorder (56) 27
Potter, W.Z., see Grossman, F. (56) 233
Prieto-Rincon, D., see Piñerua-Shuhaibar, L. (56) 119

Ravizza, L., see Serretti, A. (56) 17
Recker, S., see Graw, P. (56) 159
Reiach, J.S., Li, P.P., Warsh, J.J., Kish, S.J. and Young, L.T.
Reduced adenylyl cyclase immunolabeling and activity in postmortem temporal cortex of depressed suicide victims (56) 137
Robins, C.J., see Lynch, T.R. (56) 9
Robins, C.J., see Lynch, T.R. (56) 49
Rosenthal, N.E., see Postolache, T.T. (56) 27
Rosenthal, N.E., see Sher, L. (56) 191
Roy, A.
Childhood trauma and depression in alcoholics: relationship to hostility (56) 211
Rudolph, R.L. and Feiger, A.D.
A double-blind, randomized, placebo-controlled trial of once-daily venlafaxine extended release (XR) and fluoxetine for the treatment of depression (56) 167

Saiz-Ruiz, J., see Lôo, H. (56) 109
Sakado, K., see Sato, T. (56) 149
Sand, L., see Graw, P. (56) 159
Sato, T., Hirano, S., Narita, T., Kusunoki, K., Kato, J., Goto, M., Sakado, K. and Uehara, T.
Temperament and character inventory dimensions as a predictor of response to antidepressant treatment in major depression (56) 149
Sax, K.W., see DelBello, M.P. (56) 55
Schleidt, M., see Lemke, M.R. (56) 205
Serretti, A., Jori, M.C., Casadei, G., Ravizza, L., Smeraldi, E. and Akiskal, H.
Delineating psychopathologic clusters within dysthymia: a study of 512 out-patients without major depression (56) 17
Sharma, V.
Retrospective controlled study of inpatient ECT: does it prevent suicide? (56) 179
Shen, W.W., see Swartz, C.M. (56) 61
Sher, L., Rosenthal, N.E. and Wehr, T.A.
Free thyroxine and thyroid-stimulating hormone levels in patients with seasonal affective disorder and matched controls (56) 191
Smeraldi, E., see Serretti, A. (56) 17
Smith-Jackson, E.E., see Denicoff, K.D. (56) 67

Soares, J.C., Barwell, M., Mallinger, A.G., Kupfer, D.J. and Frank, E.
Adjunctive antipsychotic use in bipolar patients: an open 6-month prospective study following an acute episode (56) 1
Strakowski, S.M., see DelBello, M.P. (56) 55
Suarez-Roca, H., see Piñerua-Shuhaibar, L. (56) 119
Swartz, C.M. and Shen, W.W.
Is episodic obsessive compulsive disorder bipolar? a report of four cases (56) 61

Tansella, M., see Pini, S. (56) 37
Turner, E.H., see Postolache, T.T. (56) 27

Uehara, T., see Sato, T. (56) 149

Van Ameringen, M., Mancini, C., Oakman, J.M. and Farvolden, P.
The potential role of haloperidol in the treatment of trichotillomania (56) 215
Vaz-Serra, A., see Lôo, H. (56) 109
Verdoux, H., see Henry, C. (56) 103

Walsh, B.T., see Waslick, B.D. (56) 223
Warsh, J.J., see Reiach, J.S. (56) 137
Waslick, B.D., Walsh, B.T., Greenhill, L.L., Eilenberg, M., Capasso, L. and Lieber, D.
Open trial of fluoxetine in children and adolescents with dysthymic disorder or double depression (56) 223
Wauters, A., see Maes, M. (56) 185
Wehr, T.A., see Postolache, T.T. (56) 27
Wehr, T.A., see Sher, L. (56) 191
West, S.A., see DelBello, M.P. (56) 55
Whiteside, J.E., see Goldberg, J.F. (56) 75
Wirz-Justice, A., see Graw, P. (56) 159
Wittchen, H.-U., see Pini, S. (56) 37

Young, L.T., see Reiach, J.S. (56) 137

ELSEVIER

Journal of Affective Disorders 56 (1999) 249–251

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Acute phase response; Albumin; Cytokines; Depression; Immunity; Zinc **56,** 185

Adenylyl cyclase; Major depressive disorder; Signal transduction; Bipolar affective disorder; Temporal cortex; Suicide **56,** 137

Age; Suicidal ideation; Remission; New onset; Depression; Cognition **56,** 49

Albumin; Acute phase response; Cytokines; Depression; Immunity; Zinc **56,** 185

Alcoholics; Depression; Childhood; Trauma **56,** 211

Alertness; Seasonal affective disorder; Light exposure; Seasons; Mood; Sleep **56,** 159

Antidepressant; Major depression; Maprotiline; Outcome **56,** 149

Antipsychotics; Bipolar disorder; Neuroleptics; Treatment; Follow-up **56,** 1

Anxiety; Dysthymia; Major depression; Neurasthenia; Mood; Cognitive symptoms; Fatigue **56,** 17

Behaviour; Major depressive disorder; Motivation; Motor activity; Movement; Psychomotor performance; Timing **56,** 205

Biologic effects; Idazoxan; Bupropion; Bipolar; Depression; Bipolar depressed **56,** 233

Bipolar; Idazoxan; Bupropion; Depression; Biologic effects; Bipolar depressed **56,** 233

Bipolar affective disorder; Adenylyl cyclase; Major depressive disorder; Signal transduction; Temporal cortex; Suicide **56,** 137

Bipolar depressed; Idazoxan; Bupropion; Bipolar; Depression; Biologic effects **56,** 233

Bipolar disorder; Antipsychotics; Neuroleptics; Treatment; Follow-up **56,** 1

Bipolar disorder; Substance abuse; Family history **56,** 55

Bipolar disorder; Life chart method; Course of illness; Neuropsychological functioning **56,** 67

Bipolar disorder; Prognosis; Hyperthymic temperament; Depressive temperament; Suicide attempts; Manic episodes; Depressive episodes **56,** 103

Bipolar disorders; Suicide; Dysphoric mania; Depression **56,** 75

Blood pressure; Dysthymia; Pain tolerance; Pain threshold; Pain intensity; Pain unpleasantness **56,** 119

Bupropion; Idazoxan; Bipolar; Depression; Biologic effects; Bipolar depressed **56,** 233

Childhood; Alcoholics; Depression; Trauma **56,** 211

Cognition; Suicidal ideation; Depression; Elderly **56,** 9

Cognition; Suicidal ideation; Remission; New onset; Depression; Age **56,** 49

Cognitive symptoms; Dysthymia; Major depression; Neurasthenia; Mood; Anxiety; Fatigue **56,** 17

Comorbidity; Primary care physician; Recognition; 12-Month outcome; Threshold mental disorders; Subthreshold mental disorders **56,** 37

Concurrent validity; Inventory for Depressive Symptomatology; Internal validity; Sensitivity to change **56,** 95

Course of illness; Bipolar disorder; Life chart method; Neuropsychological functioning **56,** 67

Cytokines; Acute phase response; Albumin; Depression; Immunity; Zinc **56,** 185

Depression; Suicidal ideation; Elderly; Cognition **56,** 9

Depression; Suicidal ideation; Remission; New onset; Age; Cognition **56,** 49

Depression; Bipolar disorders; Suicide; Dysphoric mania **56,** 75

Depression; Sex differences; Remission; Relapse; Recall-artefact **56,** 127

Depression; Fluoxetine; Remission; Venlafaxine XR **56,** 167

Depression; Acute phase response; Albumin; Cytokines; Immunity; Zinc **56,** 185

Depression; Seasonal affective disorder; Free thyroxine; Thyroid-stimulating hormone **56,** 191

Depression; Alcoholics; Childhood; Trauma **56,** 211

Depression; Idazoxan; Bupropion; Bipolar; Biologic effects; Bipolar depressed **56,** 233

Depressive Disorders; Fluoxetine; Tianeptine **56,** 109

S0165-0327(99)00204-9

Depressive episodes; Bipolar disorder; Prognosis; Hyperthymic temperament; Depressive temperament; Suicide attempts; Manic episodes **56,** 103

Depressive temperament; Bipolar disorder; Prognosis; Hyperthymic temperament; Suicide attempts; Manic episodes; Depressive episodes **56,** 103

Drug free status; Sexual desire; Sexual dysfunction; Major depression **56,** 197

Dysphoric mania; Bipolar disorders; Suicide; Depression **56,** 75

Dysthymia; Major depression; Neurasthenia; Mood; Cognitive symptoms; Anxiety; Fatigue **56,** 17

Dysthymia; Pain tolerance; Pain threshold; Pain intensity; Pain unpleasantness; Blood pressure **56,** 119

Dysthymic disorder; Fluoxetine; Pediatric; Open trial **56,** 223

ECT; Obsessive compulsive disorder (OCD); Lithium **56,** 61

Elderly; Suicidal ideation; Depression; Cognition **56,** 9

Electroconvulsive therapy; In-patients; Suicide **56,** 179

Family history; Bipolar disorder; Substance abuse **56,** 55

Fatigue; Dysthymia; Major depression; Neurasthenia; Mood; Cognitive symptoms; Anxiety **56,** 17

Fluoxetine; Depressive Disorders; Tianeptine **56,** 109

Fluoxetine; Depression; Remission; Venlafaxine XR **56,** 167

Fluoxetine; Dysthymic disorder; Pediatric; Open trial **56,** 223

Follow-up; Bipolar disorder; Antipsychotics; Neuroleptics; Treatment **56,** 1

Free thyroxine; Seasonal affective disorder; Depression; Thyroid-stimulating hormone **56,** 191

Hemispheric laterality; Seasonal affective disorder; Olfaction **56,** 27

Hyperthymic temperament; Bipolar disorder; Prognosis; Depressive temperament; Suicide attempts; Manic episodes; Depressive episodes **56,** 103

Idazoxan; Bupropion; Bipolar; Depression; Biologic effects; Bipolar depressed **56,** 233

Immunity; Acute phase response; Albumin; Cytokines; Depression; Zinc **56,** 185

Internal validity; Inventory for Depressive Symptomatology; Concurrent validity; Sensitivity to change **56,** 95

Inventory for Depressive Symptomatology; Internal validity; Concurrent validity; Sensitivity to change **56,** 95

In-patients; Suicide; Electroconvulsive therapy **56,** 179

Life chart method; Bipolar disorder; Course of illness; Neuropsychological functioning **56,** 67

Light exposure; Seasonal affective disorder; Seasons; Mood; Alertness; Sleep **56,** 159

Lithium; Obsessive compulsive disorder (OCD); ECT **56,** 61

Major depression; Dysthymia; Neurasthenia; Mood; Cognitive symptoms; Anxiety; Fatigue **56,** 17

Major depression; Antidepressant; Maprotiline; Outcome **56,** 149

Major depression; Sexual desire; Sexual dysfunction; Drug free status **56,** 197

Major depressive disorder; Adenylyl cyclase; Signal transduction; Bipolar affective disorder; Temporal cortex; Suicide **56,** 137

Major depressive disorder; Behaviour; Motivation; Motor activity; Movement; Psychomotor performance; Timing **56,** 205

Manic episodes; Bipolar disorder; Prognosis; Hyperthymic temperament; Depressive temperament; Suicide attempts; Depressive episodes **56,** 103

Maprotiline; Major depression; Antidepressant; Outcome **56,** 149

12-Month outcome; Primary care physician; Recognition; Threshold mental disorders; Subthreshold mental disorders; Comorbidity **56,** 37

Mood; Dysthymia; Major depression; Neurasthenia; Cognitive symptoms; Anxiety; Fatigue **56,** 17

Mood; Seasonal affective disorder; Light exposure; Seasons; Alertness; Sleep **56,** 159

Motivation; Behaviour; Major depressive disorder; Motor activity; Movement; Psychomotor performance; Timing **56,** 205

Motor activity; Behaviour; Major depressive disorder; Motivation; Movement; Psychomotor performance; Timing **56,** 205

Movement; Behaviour; Major depressive disorder; Motivation; Motor activity; Psychomotor performance; Timing **56,** 205

Neurasthenia; Dysthymia; Major depression; Mood; Cognitive symptoms; Anxiety; Fatigue **56,** 17

Neuroleptics; Bipolar disorder; Antipsychotics; Treatment; Follow-up **56,** 1

Neuropsychological functioning; Bipolar disorder; Life chart method; Course of illness **56,** 67

New onset; Suicidal ideation; Remission; Depression; Age; Cognition **56,** 49

Obsessive compulsive disorder (OCD); ECT; Lithium **56,** 61

Obsessive-compulsive spectrum; Tics; Tourette Syndrome; Trichotillomania **56,** 215

Olfaction; Seasonal affective disorder; Hemispheric laterality **56,** 27

Open trial; Dysthymic disorder; Fluoxetine; Pediatric **56,** 223

Outcome; Major depression; Antidepressant; Maprotiline **56,** 149

Pain intensity; Dysthymia; Pain tolerance; Pain threshold; Pain unpleasantness; Blood pressure **56,** 119

Pain threshold; Dysthymia; Pain tolerance; Pain intensity; Pain unpleasantness; Blood pressure **56,** 119

Pain tolerance; Dysthymia; Pain threshold; Pain intensity; Pain unpleasantness; Blood pressure **56,** 119

Pain unpleasantness; Dysthymia; Pain tolerance; Pain threshold; Pain intensity; Blood pressure **56,** 119

Pediatric; Dysthymic disorder; Fluoxetine; Open trial **56,** 223

Primary care physician; Recognition; 12-Month outcome; Threshold mental disorders; Subthreshold mental disorders; Comorbidity **56,** 37

Prognosis; Bipolar disorder; Hyperthymic temperament; Depressive temperament; Suicide attempts; Manic episodes; Depressive episodes **56,** 103

Psychomotor performance; Behaviour; Major depressive disorder; Motivation; Motor activity; Movement; Timing **56,** 205

Recall-artefact; Depression; Sex differences; Remission; Relapse **56,** 127

Recognition; Primary care physician; 12-Month outcome; Threshold mental disorders; Subthreshold mental disorders; Comorbidity **56,** 37

Relapse; Depression; Sex differences; Remission; Recall-artefact **56,** 127

Remission; Suicidal ideation; New onset; Depression; Age; Cognition **56,** 49

Remission; Depression; Sex differences; Relapse; Recall-artefact **56,** 127

Remission; Depression; Fluoxetine; Venlafaxine XR **56,** 167

Seasonal affective disorder; Olfaction; Hemispheric laterality **56,** 27

Seasonal affective disorder; Light exposure; Seasons; Mood; Alertness; Sleep **56,** 159

Seasonal affective disorder; Depression; Free thyroxine; Thyroid-stimulating hormone **56,** 191

Seasons; Seasonal affective disorder; Light exposure; Mood; Alertness; Sleep **56,** 159

Sensitivity to change; Inventory for Depressive Symptomatology; Internal validity; Concurrent validity **56,** 95

Sex differences; Depression; Remission; Relapse; Recall-artefact **56,** 127

Sexual desire; Sexual dysfunction; Major depression; Drug free status **56,** 197

Sexual dysfunction; Sexual desire; Major depression; Drug free status **56,** 197

Signal transduction; Adenylyl cyclase; Major depressive disorder; Bipolar affective disorder; Temporal cortex; Suicide **56,** 137

Sleep; Seasonal affective disorder; Light exposure; Seasons; Mood; Alertness **56,** 159

Substance abuse; Bipolar disorder; Family history **56,** 55

Subthreshold mental disorders; Primary care physician; Recognition; 12-Month outcome; Threshold mental disorders; Comorbidity **56,** 37

Suicidal ideation; Depression; Elderly; Cognition **56,** 9

Suicidal ideation; Remission; New onset; Depression; Age; Cognition **56,** 49

Suicide; Bipolar disorders; Dysphoric mania; Depression **56,** 75

Suicide; Adenylyl cyclase; Major depressive disorder; Signal transduction; Bipolar affective disorder; Temporal cortex **56,** 137

Suicide; In-patients; Electroconvulsive therapy **56,** 179

Suicide attempts; Bipolar disorder; Prognosis; Hyperthymic temperament; Depressive temperament; Manic episodes; Depressive episodes **56,** 103

Temporal cortex; Adenylyl cyclase; Major depressive disorder; Signal transduction; Bipolar affective disorder; Suicide **56,** 137

Threshold mental disorders; Primary care physician; Recognition; 12-Month outcome; Subthreshold mental disorders; Comorbidity **56,** 37

Thyroid-stimulating hormone; Seasonal affective disorder; Depression; Free thyroxine **56,** 191

Tianeptine; Depressive Disorders; Fluoxetine **56,** 109

Tics; Obsessive-compulsive spectrum; Tourette Syndrome; Trichotillomania **56,** 215

Timing; Behaviour; Major depressive disorder; Motivation; Motor activity; Movement; Psychomotor performance **56,** 205

Tourette Syndrome; Obsessive-compulsive spectrum; Tics; Trichotillomania **56,** 215

Trauma; Alcoholics; Depression; Childhood **56,** 211

Treatment; Bipolar disorder; Antipsychotics; Neuroleptics; Follow-up **56,** 1

Trichotillomania; Obsessive-compulsive spectrum; Tics; Tourette Syndrome **56,** 215

Venlafaxine XR; Depression; Fluoxetine; Remission **56,** 167

Zinc; Acute phase response; Albumin; Cytokines; Depression; Immunity **56,** 185